

Innovative High Power LED Project Light




Lighting Source



Specification

Product Description

Model	GS-BL-500WB
Watts	500W
LED Driver Brand	Meanwell
Luminous Flux	3020 LED 120-130lm/w >67500lm
Beam Angle	20°/60°/90°
Color Temperature	2700-3300K/4500-5500K/6000-7000K
Input Voltage	AC110-277V
Power Factor(PF)/Power Efficiency	0.95/>90%
Color Rendering Index	>80-90
Rated Life(hours)	>50,000
Warranty	5 years
Operating Temperature(°C)	-30~50
Housing Material /Optical Cover	Aluminum/Clear Glass
IP Rating	IP 65
Dimension	Φ367*(497m±5)mm
Weight	15KG



Innovative High Power LED Project Light




Lighting Source



6. Comparison of high power LED projecting light with Traditional Lamps:

S

IP65 LED flood light VS Traditional MH/HPS lights



Factory, gymnasium, lighting decoration, square, golf course, vessel, airport, metro station, business area, flyover, outdoor advertising, landmark and so on.

Power(W)	75W	100W	120W	150W	200W	300W	400W	480W
Replace MH/HPS (W)	150W	200 W	250W	300W	400W	600	800W	1000W





CE



Innovative High Power LED Project Light



Lighting Source



Photometric For 60 deg beam angle



Photometric For 27 deg beam angle

